

# **RYE™** FENCING & GARDEN PRODUCTS



**RYE GROUP LIMITED**  
Committed to Reach Your Expectation

RYE GROUP was founded in year 2000 from the structural reform of state owned Shandong foreign trade company. The company today operates in three product categories, Garden and fencing products, Marine equipment and Rigging hardware.

This catalogue introduces the garden and fencing range which is a major division of our group. We are in joint venture with four leading factory in China covering Welded wire mesh, Garden and panel fencing, Metal wire and Window screen. For other products, leaves fencing, artificial turf, weed mat, shading net, Polyethylene extruded net, etc., we co-operate with our strategic alliances, many of whom are over ten years partnership. RYE is ultimately evolved from a trading company to an industrial entity consisted of a group of powerful manufacturers. All of our factories hold ISO-9001 certificate.

We are committed to supply our customers with the highest quality products and professional service from China.

*Jane Z. Shen*

General Manager

# TABLE OF CONTENTS

---

1	Gate	15	Welded Wire Mesh
3	Panel & Post	15	Square Iron Wire Mesh
6	T-post	16	Gabions
9	Temporary Fence		
10	Pasture Gate	17	Metal Wire
		20	Barbed Wire
11	Welded Wire Mesh	21	Razor Barbed Wire
13	Hexagonal Netting		
14	Border Fence	22	Wire Tensioner
14	Chain Link Fence	22	Pole Anchors & Caps
14	Farm Fence	23	Accessories

# TABLE OF CONTENTS

---

24	Fibreglass Screen	33	Pe Tarpauline
25	Aluminium Screen	34	Furniture Cover
26	Stainless Steel Screen	35	Shade Sail, Scaffolding Net
26	Stainless Steel Security Screen	36	Shade Net
27	Polyester Curtain	37	Olive Net, Anti Hail Net
		38	Plant Support Net, Anti Bird Net
28	Leaves Fencing	39	Balcony Net, Pp Non Woven Fabric
30	Trellis, Sticks, Spirals	40	Green House
31	Artificial Turf		
32	Weed Mat, Leaves Bag		

# THE COATING SPECIALIST



Established in 2000, our factory is one of China's largest garden hardware production base, specialize in an extensive variety of garden and panel fencing products, hot dipped galvanized and powder coated, widely used in gardens, villas, parks, airports and many other perimeter protection jobs.

Housed more than 150 sets of automatic welding machines, our factory's annual output is over one million pieces. With the aim to provide the highest standard of product excellence and customer service, we utilize the world most advanced manufacturing equipment from various nationalities, such as CNC pressing and punching machine from Taiwan, Panasonic robot welding line from Japan, powder coating facility from France and USA.

The recent imported two new coating equipment, Joihey and TTW Gema from Switzerland, bring our powder application level reaching the world class. Incorporate with the most selective raw material, together with our advanced automatic spray phosphorous coating technology, enable our products an outstanding twenty years working life, non-rust, non-crack and zero maintenance, welcomed by customers from more than 80 countries.





# GATE

- The garden gates family are designed to compliment our large range of fence panels . Using the industry's most high-quality steel and powders, through stringent four-layer anti-corrosion treatment, gives the gates an effective solution to a long-standing working life.



## Portillion

- **Description:** Mesh 100x50x4mm. Round tubular frame  $\varnothing$  38x1,5mm, post  $\varnothing$  48x1,5mm, hook locking. Can be locked and opened easily.
- **Width:** 1m, **Length:** 1m, 1.2m, 1.5m. Assembled with two posts. Post 50cm longer than wing height. Green colour RAL 6005



## Canello

Code	Gate WxH - cm	Round Post $\varnothing$ mm	Post Nos. x H,cm
62711	100x100	60x1,6	2x170
62712	100x120	60x1,6	2x190
62713	100x150	75x2,0	2x225
62714	100x180	75x2,0	2x255

- **Description:** Mesh 50x50x4mm, square tubular frame 40x40x1.2 mm, plastic handle, lock european standard type with keys cylinder, green colour RAL 6005.



## Landera

- **Description:** Mesh 200x50x4mm / 100x50x4mm, round tubular frame, plastic handle with lock, width 1m, height 1m, 1,2m, 1,5m. Green colour RAL 6005.



## Cottage

- **Description:** Mesh 50x50x4mm, round tubular frame, plastic handle with lock, width 1m, height 1m, 1,25m, 1,5m. Green colour RAL 6005.



## Palisade Gate and Mesh Gate

- The swinging palisade and mesh gates are widely used in industrial area, castles, parks, etc. Depend on the size of the opening, you can choose single leaf or double-leaf swing gates. Single leaf is more economical while double leaf is more suitable for wide openings.
- Square post: 80x80x4mm, 100x100x5mm, 120x120x5mm, square frame: 50x50x4mm, Infile mesh: 200x50x5mm.
- Finish: 1, Hot dip galvanized. 2, Hot dip galvanized and then powder coated.




1.8H x 1.2W-SL 1.8H x 3.0W-DL 1.8H x 4.0W-DL 1.8H x 5.0W-DL 1.8H x 6.0W-DL  
 2.0H x 1.2W-SL 2.0H x 3.0W-DL 2.0H x 4.0W-DL 2.0H x 5.0W-DL 2.0H x 6.0W-DL  
 2.4H x 1.2W-SL 2.4H x 3.0W-DL 2.4H x 4.0W-DL 2.4H x 5.0W-DL 2.4H x 6.0W-DL



# PANNEL & POST

- Description:** The pannel family are manufactured by superior thick galvanized steel wire, zinc phosphated and powder coated after welding. The wires are fully and heavily welded at every intersection to ensure a high tensile strength. In complement with a wide range of post options, they are widely used in boundary fencing and general security applications. All pannels complies with Reach standard.




## Panel V-Single Wire

Mesh Size mm	Height incl. Spikes cm	Horizontal V-curves	Wire mm	Width m
100x50	1030	2	3.85/4.0	2.0, 2.5
100x50	1230	2	3.85/4.0	2.0, 2.5
100x50	1430	2	3.85/4.0	2.0, 2.5
100x50	1630	3	3.85/4.0	2.0, 2.5
100x50	1730	3	3.85/4.0	2.0, 2.5
100x50	2030	4	3.85/4.0	2.0, 2.5



- Description:** Panel V-Single Wire is the most cost effective panel, with a "V" pressed into the panel horizontally to give strength and beautiful looking.



## Panel V-Twin Wire

Code	Height incl. Spikes cm	Mesh Size mm	Horizontal/Vertical Wire mm	Horizontal V-curves	Width m
62721	1030	100x50	4.5/4.0	2	2.0, 2.5
62722	1230	100x50	4.5/4.0	2	2.0, 2.5
62723	1530	100x50	4.5/4.0	2	2.0, 2.5
62724	1730	100x50	4.5/4.0	3	2.0, 2.5
62725	2030	100x50	4.5/4.0	4	2.0, 2.5

\*\* Grey color also available.

- Descriptio:** The pannels are welded with electro-galvanized wires and green powder plastified. With two enhance wires gives extra reinforcement. The barbed edge can be installed at the top of the fence or at the bottom.

## How to install panel line


Pannel Height -cm	103	123	153	173	203
Height poles for laying on concrete	150	170	200	250	250
Height poles posing with support	110	130	-	-	-
N° supporto per pali	1	1	-	-	-
N° mounting collars	2	3	3	4	4
N° angular plates	2	3	3	4	4
N° steel angular kit	1	1	-	-	-





### Round Tail Post Green Powdered

Code	Dia.-mm	Thick-mm	Height-cm	PCS/CTN
62741	48	1.5	110	6
62742	48	1.5	130	6
62743	48	1.5	150	6
62744	48	1.5	170	6
62745	48	1.5	200	6
62746	48	1.5	250	6



### Square Floor Plate For Tail Post

Code	Size-cm
62747	10x10x25



### Round Tail Post Plastic Caps

Code	Size-mm
62783	48



### Plastic Collar

Code	Size-mm	Pcs/Pack
62786	48	6




### Plastic Collar and Angle Brace

Code	Size-mm
62784	38



### Plastic Collar and Angle Brace

Code	Size-mm
62785	48



### Metal Clips

Code	62789
------	-------



### Metal Wall Fixation

Code	62788
------	-------



### Round Post Green Powdered

Code	Dia.-mm	Thick-mm	Height-cm	PCS/CTN
62751	38	1.25	100	6
62752	38	1.25	120	6
62753	38	1.25	150	6
62754	38	1.25	170	6
62755	38	1.25	200	6
62756	48	1.5	230	6
62757	48	1.5	260	4



### Plastic Wire Holder

Code	Pcs/Pack
62787	20

### Round Post Plastic Caps

Code	Size-mm	Pcs/Pack
62781	38	12
62782	48	10



### Square Post Green Powdered

Code	Dia.-mm	Thick-mm	Height-cm	Panel H-cm
62761	50x50	1.5	110	103
62762	50x50	1.5	130	123
62763	50x50	1.5	157	153
62764	50x50	1.5	170	123
62765	50x50	1.5	200	153
62766	50x50	1.5	225	173
62767	50x50	1.5	250	203
62771	60x60	1.5	110	103
62772	60x60	1.5	130	123
62773	60x60	1.5	157	153
62774	60x60	1.5	170	123
62775	60x60	1.5	200	153
62776	60x60	1.5	225	173
62777	60x60	1.5	250	203



### M Plastic Wire Holder

Code	Color
62791	Green
62792	Gray

### Square Post Plastic Cap

Code	Size-mm
52790	60x60
52793	50x50

- Height 110-130-157cm with 140x50x6mm plate
- Height 170-200-225-250cm w/o plate



### I Post, green powdered

Height- cm	Post Size- mm
188	70x44x1.2
200	70x44x1.2
220	70x44x1.2




### Rectangular Post

Height- cm	Post Size- mm
120	40x60x1.5
140	40x60x1.5
160	40x60x1.5
180	40x60x1.5
200	40x60x1.5
220	40x60x1.5
240	40x60x1.5
260	40x60x1.5
280	40x60x1.5
300	40x60x1.5




### Rectangular Post Plastic Cap

Code	Size-mm
62794	40x60






- We produce various kinds of quality post for customers, such as T-Post, U-Post and Y-Post, etc., hot dip galvanized, powder coated or painted. T-post is a very important attachment to fencing family, used to support wire mesh, light weight panels, fix plants, tomatoes or grapes, etc. We have exported these excellent fencing products to USA, Europe, Australia and many other countries. Our ISO 9001 registration, assure you of continued consistency and reliability on quality.



### T-Post Powder Green & HDG.

Code-Green	Code-HDG.	Cross-mm	Thick-mm	Length-cm	Pcs/Bdl	Pcs/Plt
62601	62611	30x30	2.8-3.0	100	10	500
62602	62612	30x30	2.8-3.0	125	10	500
62603	62613	30x30	2.8-3.0	150	10	500
62604	62614	30x30	2.8-3.0	175	10	500
62605	62615	30x30	2.8-3.0	200	10	400
62606	62616	35x35	4.0	200	10	250
62607	62617	35x35	4.0	225	5	250
62608	62618	35x35	4.0	250	5	250



### L-Post Powder Green & HDG.

Code-Green	Code-HDG.	Cross-mm	Thick-mm	Length-cm	Pcs/Bdl	Pcs/Plt
62621	62631	25x25	2.8-3.0	100	10	500
62622	62632	25x25	2.8-3.0	120	10	500
62623	62633	25x25	2.8-3.0	150	10	500
62624	62634	25x25	2.8-3.0	200	10	500



### U POST

- It can be bolted together for extra support.
- Special channel construction for maximum strength.
- Green powder coated. Length from 3ft to 8ft.



### T POST (AMERICAN TYPE)

- Made of rail steel for resilience and strength. Carries rugged anchor platelocks solid into the soil. Green powder coated or painted, other colors available Length from 5ft to 8ft, 0.95 lb ~1.33 lb per foot.




### Y POST

- Made of plain carbon steel, black painted or galvanized
- Length from 1.5m to 3.0m, 1.8 ~2kg per metre.



### STAR PICKET

- Made of plain carbon steel, black painted or galvanized
- Length from 45cm to 240cm, 1.5 ~2kg per metre.




## Panel 656 Double Welded Wire

- It is welded with one vertical wire and two thicker horizontal wires, used in high security applications.
- Twin horizontal wire diameter 6mm (Inside 5.7mm), single vertical wire 5mm (inside 4.7mm).

Twin Horizontal Wire-mm	Single Vertical Wire mm	Mesh Size mm	Height incl.Spikes mm	Width mm
5.7/6.0	4.7/5.0	200x50	630	2010, 2510
5.7/6.0	4.7/5.0	200x50	830	2010, 2510
5.7/6.0	4.7/5.0	200x50	1030	2010, 2510
5.7/6.0	4.7/5.0	200x50	1230	2010, 2510
5.7/6.0	4.7/5.0	200x50	1430	2010, 2510
5.7/6.0	4.7/5.0	200x50	1630	2010, 2510
5.7/6.0	4.7/5.0	200x50	1830	2010, 2510
5.7/6.0	4.7/5.0	200x50	2030	2010, 2510
5.7/6.0	4.7/5.0	200x50	2230	2010, 2510
5.7/6.0	4.7/5.0	200x50	2430	2010, 2510

## Panel 868 Double Welded Wire

- Panel 868 is a more heavy duty version than panel 656 whilst remain same structure, i.e. same mesh size 200x50mm, height 630mm to 2430mm and width 2010 and 2510mm. The outstanding difference is the thickness of its twin horizontal wire increased to 8mm (inside 7.7mm) and the single vertical wire to 6mm (inside 5.7mm), which further improved the rigidity and strength of the panel.



## Panel 864


- Frame wire at four sides of panel use thicker diameter of 8mm, horizontal wire 6mm, vertical wire 4mm.
- It's economical and rigid enough for a wide range of applications.

Width -mm	Height -mm	Mesh/Wire mm
2000	500	250x50-4/6/8
2000	750	250x50-4/6/8
2000	1000	250x50-4/6/8
2000	1250	250x50-4/6/8
2000	1500	250x50-4/6/8
2000	1750	250x50-4/6/8

## Panel Fold Triangular



## Panel Fold Rectangular



- Description:** Panel Fold Rectangular is rolled top and bottom beam rectangular shape. Mesh 50x50x4mm, incorporate with square frame.
- RAL colors available.
- Panel:** Width: 2,2m, 2,5m Height: 1,2m
- Wire Diameter:** 3,9/4,1mm
- Mesh:** 50x50mm.
- Post:** Height 1,7m, 60x60x1,5mm.



- Description:** Panel Fold Triangular is rolled top and bottom beam for attractive appearance and rigidity. incorporate with square frame.
- Mesh** 50x50x3.9/4.1mm
- Panel width :** 2,2m, 2,5m
- Panel Height:** 1,2m
- Post height:** 1,7m



## Deco Fence

■ The Deco Fence is welded by square tubes and powder coated for strength and durability. It offers a classic look and easy installation. Ideally for home and garden.

- DF1-Base Panel: W86 x H73cm
- DF2-Gate Panel: W43 x H76.5cm x 2pcs
- DF3-End Panel: W43 x H76.5cm
- DF4-Post and Stake: 106cm

DF4



DF5



DF6



DF7




## Panel Spike

Steel Spec.-mm	Width-mm	Height-mm
22x30x0.8, 40x40x1.2, 50x50x1.5	2438	1700
22x30x0.8, 40x40x1.2, 50x50x1.5	2438	1600



## Panel Elbow Top

Steel Spec.-mm	Width-mm	Height-mm
20x20x1.0, 40x40x1.2, 50x50x1.5	3000	1000
20x20x1.0, 40x40x1.2, 50x50x1.5	3000	1200
20x20x1.0, 40x40x1.2, 50x50x1.5	3000	1500



# TEMPORARY FENCE

We believe a safe living and working environment is essential for carefree community. Temporary fencing is a quick and economical solution to secure construction site, festival and important event from vandalism and other liabilities. We manufacture a broad range of models to suit customer's different needs. Production could be made according to drawing.



**TF 01 with chain link fence infill**

- Hot dip galvanized or powder coated
- Height x Width: 6'x10', 6'x12', 6'x14'
- Cylinder Tube Spec.: 33.5 x 1.5mm
- Chain Link Size: 58 x 58 x 2.7mm



**TF02 with welded pannel infill**

- Height x Width: 6'x10', 6'x12', 6'x14'
- Square Tube Spec.: 30x 30x1.5mm
- Mesh Size: 100 x 50 x 3mm



**TF 03 with welded pannel infill**

- Height x Width: 6'x10'
- Cylinder Tube Spec.: 32x1.5mm, 40x1.5mm
- Mesh Size: 150x50x3mm

# PASTURE GATE



## Pasture Gate H.D.G. / Powder Coated

- Tube Size: 40x1,2/1,5/2,0mm
- Mesh Size: 100x50x5mm

H×W-m	Vertical Middle Tube
50"x4'	0
50"x6'	0
50"x8'	1
50"x10'	1
50"x12'	2
50"x14'	2
50"x16'	3



## Pasture Gate H.D.G. / Powder Coated


- Tube Size: 40x1,2/1,5/2,0mm

H×W	Horizontal Tubes	Vertical Tubes
50"x4'	5	0
50"x6'	5	0
50"x8'	5	1
50"x10'	5	1
50"x12'	5	2
50"x14'	5	2
50"x16'	5	3
50"x18'	5	3
50"x20'	5	3
64"x10'	6	1
64"x12'	6	2
64"x14'	6	2




## Pasture Gate- N, HDG.

- Height x Width: 1.17x3, 1.17x3.6, 1.17x4.2, 1.17x4.8m
- Tube Size: 32x2.0mm
- Welded Mesh: 100x200x5mm



## Pasture Gate-T, HDG.


- Height x Width: 1.17X2.4, 1.17X3, 1.17X3.6, 1.17X4.2, 1.17X4.8m
- Tube Size: 32 X 2.0mm
- Welded Mesh: 100X200x5mm



## Pasture Gate, HDG.

- Height x Width: 0.99 x 3.65m ; 0.99 x 4.265m
- Tube Size: 32mm X 2.0mm
- Chain Link Fence: 3" X 2.7mm





# WIRE MESH



Our factory specialized in manufacturing a complete range of welded and weaving wire mesh. After 30 years growth, the factory now covers 55 acres and employs 2100 workers, production daily output is reaching 200 tons, proudly become one of the most powerful metal products manufacturer in China.

Superior quality starts from our highly selective raw material of steel, PVC and 100% pure Zinc. The factory houses more than 200 sets of most advanced automatic welding and weaving machines, integrated with a series of high adhesive PVC coating system and eco-friendly galvanization facility, gives our wire mesh an solid advantage of welding and supreme finish treatment so they could work a long life under sunlight, humidity and with stand the most harsh environment.

Benefited from the large capacity, wide specification, superior quality and quick delivery, we are selected as OEM site for many well-known names like Lowe's, Home Depot, etc.





■ **Description :** The family of Capital, Protect, Manor, Country, Yard, Release are welded with galvanized wire and then PVC coated. This range are widely used for residence enclosure, parks, industry area, etc.

- **Zinc Coating :** 25 gr/m<sup>2</sup>      ■ **Tensile Strength :** 500-600N/mm
- **PVC Coating :** 0.4-0.5 mm      ■ **Coating Standard :** Complies with RoHs
- **Technical data other than mentioned could be made to order.**



### CAPITAL

Mesh Size mm	Wire Dia mm	Height cm	Length m
50.8x50.8	2.45/2.95	102,122	10,25



### PROTECT

Mesh Size mm	Wire Dia mm	Height cm	Length m
50.8x50.8	2.45/2.95	152,180,201	25

\*\* Putting-out wire at the top of the net.



### MANOR

Mesh Size mm	Horizontal mm	Vertical mm	Height cm	Length m
50.8x50.8	2.0/2.5	1.8/2.2	102,122,152,183,203	25

\*\* Net reinforced at the top and bottom.



### COUNTRY

Mesh Size mm	Wire Dia mm	Height cm	Length m
101.6x50.8	2.0/2.5	61, 81, 102,122, 152, 183,203	10,25

\*\* Net reinforced at the top and bottom.



### YARD

Mesh Size mm	Wire Dia mm	Height cm	Length m
76.2X63.5	1.8/2.2	61,81,104,119, 150,180,203	10,25

\*\* Net reinforced at the top and bottom.



### RELEASE

Mesh Size mm	Wire Dia mm	Height cm	Length m
76.2X63.5	1.55/2.0	60,80,100,125, 150,180,200	10,25





## CORRAL

Mesh Size mm	Wire Gauge BWG	Wire Dia mm	Height cm	Length m
6.3x6.3	25~22	0.51~0.71	50,100	25
12.7x12.7	21~18	0.81~1.24	50,60,80,100	10,25
12.7x25.4	21~18	0.81~1.24	50,60,80,100	10,25
16x16	21~18	0.81~1.24	60,80,100	25
19x19	21~16	0.81~1.65	60,80,100	25

- **Description:** Welded by superior industrial standard low carbon steel wire and then hot dip galvanized after welding. It has strong tensile strength and long working life, widely used in industry, agriculture, building, poultry, animal cages, etc.

- **Zinc Coating:** 200 gr/m<sup>2</sup>;
- **Tensile Strength:** 500-600N/mm.



## CORRAL PLASTIC

Mesh Size mm	Wire Gauge BWG	Wire Dia mm	Height cm	Length m
12.7x12.7	24~19	0.56~1.07	50,60,80,100	10,25

- **Description :** Welded by electro galvanized mild steel wire and then through a corrosion resistant plastic coating, Coating has high colour stability and UV resistant under laboratory test.

- **Zinc Coating:** 25 gr/m<sup>2</sup> ; ■ **Tensile Strength:** 450N/mm;
- **PVC Coating:** 0.4 -0.5 mm;
- **Coating Standard:** Complies with RoHs.



## FARM

Mesh Size mm	Wire Gauge BWG	Wire Dia mm	Height cm	Length m
13x2	25~22	0.51~0.71	50,100	10,25
16x2	25~20	0.51~0.89	50,100	10,25
20x2	25~19	0.51~1.07	50,100	10,25
25x3	25~18	0.51~1.24	50,100,150,200	25
50x4	22~14	0.71~2.11	50,100,150,200	25
50x7	22~14	0.71~2.11	50,100,150,200	25

- **Description:** Triple twist hexagonal iron Wire netting is weaved by superior low carbon iron wire, then hot dip galvanized after weaving. Widely used in agriculture and small animals enclosure.

- There are two types of twisting version for your choice, Continual twisting or alternating twisting. Continual twisting is has a stronger working load while alternating twisting is more economic.

- **Zinc Coating:** 200 gr/m<sup>2</sup>;
- **Tensile Strength:** 400-500N/mm.



## FARM PLASIC

Mesh Size mm	Wire Gauge BWG	Wire Dia mm	Height cm	Length m
13x2	25~22	0.51~0.71	50,100	10,25
16x2	25~20	0.51~0.89	50,100	10,25
20x2	25~19	0.51~1.07	50,100	10,25
25x3	25~18	0.51~1.24	50,100,150,200	25
50x4	22~14	0.71~2.11	50,100,150,200	25
50x7	22~14	0.71~2.11	50,100,150,200	25

- **Description:** The PVC coated hexagonal wire netting is weaved by electro galvanized mild steel wire and then plastic coated, Coating has high colour stability and UV resistant under laboratory test. Ideally for residence, gardens, poultry, animal cages, etc.

- Choose from continual twisting or alternating twisting

- **Zinc Coating:** 25 gr/m<sup>2</sup>; ■ **PVC Coating:** 0.4 -0.5 mm;
- **Tensile Strength:** 450N/mm.
- **Coating Standard:** Complies with RoHs.

## RESIDENSE



Mesh Size mm	Horizontal mm	Vertical mm	Height cm	Length m
150x90	1.55/2.4	2.4/3.25	40,65,90,120	10,25

- **Description:** Weaved by PVC coated wire, the wire is galvanized before coating to anti-corrosion. Ideally used as flower and plant border.
- **Zinc Coating:** 25 gr/m<sup>2</sup>; ■ **PVC Coating:** 0.8 - 0.9mm;
- **Tensile Strength:** 500-600N/mm.
- **Coating Standard:** Complies with RoHs.



## AREA PLASTIC

Mesh Size mm	Wire Dia mm	Height cm	Length m
50.8x50.8	1.8/2.7	100, 125,150, 175,200	25

- **Description:** Weaved by plastic coated high tensile carbon steel wire to maintain shape and elasticity. The wire is galvanized before coated. Widely used in perimeter fencing, like roadside, playground, industry area, etc.
- **Zinc Coating:** 25 gr/m<sup>2</sup>; ■ **PVC Coating:** 0.5 mm;
- **Tensile Strength:** 600-700N/mm.
- **Coating Standard:** Complies with RoHs.

## AREA ZINC

Mesh Size mm	Wire Dia mm	Height cm	Length m
50.8x50.8	1.9,2.7,3.0	100, 125,150, 175,200	25

- **Description:** Weaved by high tensile carbon steel wire to maintain shape and elasticity. Widely used in Perimeter fencing like roadside, playground, industry zone, etc.
- **Zinc Coating:** 100 gr/m<sup>2</sup>;
- **Tensile Strength:** 600-700N/mm.




## BARRIER

Mesh Size mm	Wire Dia mm	Height cm	Length m
100/13/15	2.5/1.9/2.5	100	50
130/15/15	2.5/1.9/2.5	130	50
145/16/15	2.5/1.9/2.5	145	50
200/19/15	2.5/1.9/2.5	200	50
80/8/15	2.5/1.9/2.5	80	50
100/8/30	2.5/1.9/2.5	100	100
100/8/15A	2.5/1.9/2.5	100	50
100/8/15B	2.5/1.9/2.5	100	100
130/11/15	2.5/1.9/2.5	130	50

- **Description:** Woven by high tensile hot dipped galvanized wire, work well for every animals farm.
- **Zinc Coating:** 90 gr/m<sup>2</sup>;
- **Tensile Strength:** 500-600N/mm.

- **Top and bottom wire 2.5mm, infill wire 1.9mm**







## ENCLOSE

Mesh Size mm	Wire Dia mm	Height cm	Length m
50x25	1.7	100,120,150,180,200	25
50x50	1.7	100,120,150,180,200	25
75x50	1.7	100,120,150,180,200	25

- **Description:** Welded by hot dip galvanized wire with strong tensile strength. Widely used on construction, carpentry, farming, etc.
- **Zinc Coating:** 70 gr/m<sup>2</sup>;
- **Tensile Strength:** 500-550N/mm.



## ENCLOSE PLAST

Mesh Size mm	Wire Dia mm	Height cm	Length m
75x50	1.75/2.15	100,120,150,180,200	25

- **Description:** PVC coated high tensile strength welded wire mesh, galvanized wire inside for double protection. Widely used on construction, carpentry, farming, etc. Other diameter maybe available upon request.
- PVC coating Welded Utility Wire Mesh, galvanized wire inside.




## TAMIS

Mesh inch	Wire Dia. mm	Aperture mm	Width m	Length m
2x2	1.6	11.1	0.5-1.5	25,30
4x4	1	5.35	0.5-1.5	25,30
6x6	0.8	3.43	0.5-1.5	25,30
8x8	0.6	2.57	0.5-1.5	25,30
10x10	0.5	2.04	0.5-1.5	25,30
12x12	0.5	1.61	0.5-1.5	25,30
16x16	0.4	1.18	0.5-1.5	25,30
20x20	0.3	0.97	0.5-1.5	25,30
30x30	0.23	0.62	0.5-1.5	25,30
40x40	0.21	0.43	0.5-1.5	25,30
50x50	0.19	0.32	0.5-1.5	25,30
60x60	0.15	0.27	0.5-1.5	25,30


- It is square iron wire mesh made of superior low carbon iron wire, galvanized after or before weaving. It is widely used in industrial sieves, such as sugar, chemical, stone crusher, or sieving of grains.
- Constructions to sieve grain powder, filter liquid and gas, etc.
- **Finish:** Hot dipped galvanized before or after weaving; Electric galvanized before or after weaving.



- Description:** The double twisted hexagonal woven gabion basket/Matress is made by heavy gauge double twisted hexagonal mesh, the wire is hot dip galvanized before weaving. The edges are tied up by a much thicker stitching wire and/or staples of same finish. They are divided into chambers by inserting diaphragms every meter, a broad range of structures maybe built. PVC Coated finish is also available which is most suitable in coastal projects. It is made from the same steel galvanized zinc coated wire with an additional Poly Vinyl Coating (PVC) coating. Gabions are delivered flat-packed for easy transportation.
- Application:** Filled with stones, it is widely used for ground stabilization to prevent erosion, a retaining wall of terraces or other landscaped areas, rivers and stream bank, embankments and bridge abutments, etc..






# GABIONS





## Woven Gabion Basket

Basket Size L x W x H (m)	No. of diaphragms (No.)	Wire Gauge/Mesh Size
1x0.5x0.5	0	Mesh Size 80x100mm
1.5x1x0.5	0	
2x1x0.5	1	H.D.G. Wire Dia: 2.7mm
3x1x0.5	2	
4x1x0.5	3	PVC Coateding: 2.5mm/3.5mm
1.5x1x1	0	
2x1x1	1	Other sizes could be made to request
3x1x1	2	
4x1x1	3	



## Hexagonal Woven Gabion Mattress

Wire Dia mm	Mesh mm	Matress Size L x W x H (m)	Diaphragm Nos.
2.7	80x100	3x2x0.25	2
2.7	80x100	4x2x0.25	3
2.7	80x100	5x2x0.25	4
2.7	80x100	6x2x0.3	5



- Description:** It is made of high tensile welded steel wire mesh with square mesh structures, hot dip galvanized after welding to ensure a long lasting life. The units is assembled with a much thicker spiral binders, stitching wire and/or staples. Delivered bundled per panel or partly assembled.

## Welded Gabion Basket

Basket Size L x W x H (m)	No. of diaphragms (No.)	Wire Dia Mesh Size
1x1x0.5	0	Wire Dia: 2.5~3.5mm
1x1x1	0	
1.5x1x0.5	0	Mesh Size: 50x70mm, 50x100mm
2x1x0.5	1	
2x1x1	1	N.B. Other sizes maybe made to your request
3x1x0.5	2	
3x1x1	2	
4x1x0.5	3	
4x1x1	3	



# METAL WIRE

## LEADER IN METAL WIRE PRODUCTION

---

Our factory was founded in 1995, with twenty years experience in wire production, the factory now has 750 employees, consisted of group of four manufacturing branches, specialized in low carbon steel electro galvanized wire, black annealed wire, PVC coated wire and extended wire products.

Our production line is completed with the most update machines including wire cold drawing, rolling, large CNC annealed equipment, galvanization and PVC coating. Annual output two hundred million U.S.Dollars, of which 30% to satisfy domestic market and 70% export worldwide.

Quality comes from technology. Our R&D team is consisted of 50 engineers and senior expert staff. With strong technical support, we continuously invest in our facilities of each production step to improve quality while reduce the cost of labor dependency. This makes the company growing rapidly in recent years and become one of the most famous metal wire factories in China, with competitive prices and reliable quality!





### PVC coated wires

Code	before-mm	after-mm	L-m.
61824	1.5	2.4	100
61828	2.1	2.8	100
61833	2.3	3.3	100
61837	2.8	3.7	100
61816	1.1	1.6	100
61818	1.2	1.8	100



### Galv. Wires

Code	Dia.-mm	L-m.
61910	1.0	100
61914	1.4	100
61920	2.0	100
61925	2.5	100
61927	2.7	100
61930	3.0	100



### Green plastic wire with spring coiling

Code	Dia.-mm	L-m
60108	0.50-0.80	40
60109	0.60-0.90	30
60111	0.70-1.10	20
60114	1.00-1.40	16
60116	1.10-1.60	12
60118	1.20-1.80	9
60122	1.60-2.20	8



### Galv. wire with spring coiling

Code	Dia.-mm	L-m
60208	0.80	40
60209	0.90	30
60212	1.20	25
60213	1.30	22
60215	1.50	16
60218	1.80	12
60220	2.00	10
60222	2.20	9
60225	2.50	7



### Brass Wire

Code	Dia.-mm	L-m.
60305	0.5	30
60306	0.6	20
60308	0.8	12
60310	1	7
60315	1.5	4,5



### Copper Wire

Code	Dia.-mm	L-m.
60405	0.5	30
60406	0.6	20
60408	0.8	12
60410	1	7
60415	1.5	4,5



### Piano Wire C85

Code	Dia.-mm	L-m.
60504	0.4	102,7
60505	0.5	65,7
60506	0.6	45,5
60507	0.7	33,3
60508	0.8	25,5
60510	1	16,6
60512	1.2	11,3
60515	1.5	7,2
60518	1.8	10
60520	2	8,1





### PVC WIRE IN BRACKET

Code	Dia.-mm
62001	0.8/1.25mmx50m
62002	1.1/1.6mmx25m



### PVC WIRE IN BRACKET

Code	Dia.-mm
62003	0.7mmx100m
62004	1.0mmx50m
62005	1.25mmx25m



### ZINC ANNEALED WIRE

Code	Dia.-mm
62208	0.8
62209	0.9
62210	1
62211	1.1
62212	1.2
62213	1.3
62215	1.5
62218	1.8
62220	2
62222	2.2
62224	2.4
62227	2.7
62230	3
62234	3.4
62239	3.9
62244	4.4



### UTILITY TWIST WIRE IN DUPLEX BRACKET W/CUTTER

Code	Dia.-mm	L-m.
60603	0.42-2.80	50m
60604	0.42-2.80	100m



### UTILITY TWIST WIRE IN SINGLE BRACKET W/CUTTER

Code	Dia.-mm	L-m.
60601	0.42-2.80	50m
60602	0.42-2.80	100m



### BLACK ANNEALED WIRE

Code	Dia.-mm
62308	0.8
62309	0.9
62310	1
62311	1.1
62312	1.2
62313	1.3
62315	1.5
62318	1.8
62320	2
62322	2.2
62324	2.4
62327	2.7
62330	3
62334	3.4
62339	3.9
62344	4.4



### UTILITY TWIST WIRE W/COL. HEADER

Code	Dia.-mm	L-m.
60605	0.42-2.80	10CMx100PCS
60606	0.42-2.80	12CMx100PCS
60607	0.42-2.80	15CMx100PCS
60608	0.42-2.80	20CMx100PCS
60609	0.42-2.80	25CMx100PCS
60610	0.42-2.80	30CMx100PCS
60611	0.42-2.80	10CMx1000PCS
60612	0.42-2.80	12CMx1000PCS
60613	0.42-2.80	15CMx1000PCS
60614	0.42-2.80	20CMx1000PCS
60615	0.42-2.80	25CMx1000PCS
60616	0.42-2.80	30CMx1000PCS



### PVC WIRE IN BIG ROLL

Code	Dia.-mm
62131	2.5/3.1MMx25KG
62118	1.2/1.8MMx25KG



### PVC coated wires with frame

Code	Dia.-mm	L-m.
62311	0.70-1.10	50
62312	0.80-1.20	50
62314	1.00-1.40	50
62315	1.10-1.50	50
62318	1.20-1.80	50
62322	1.60-2.20	50



### H.D.G. Wires with frame

Code	Dia.-mm	L-m.
62011	1.10	50
62012	1.20	50
62014	1.40	50
62015	1.50	50
62018	1.80	50
62022	2.20	50



### HDG Single Barbed Wire

Code	Line/Barb Wire	Barbs spacing	Length Mt.
62401	1.8x1.8	2"-3"-4"-5"-6"	50m-100m
62402	2.0x2.0	2"-3"-4"-5"-6"	50m-100m
62403	2.2x2.0	2"-3"-4"-5"-6"	50m-100m
62404	2.2x2.2	2"-3"-4"-5"-6"	50m-100m
62405	2.5x2.2	2"-3"-4"-5"-6"	50m-100m
62406	2.6x2.2	2"-3"-4"-5"-6"	50m-100m
62407	2.7x2.2	2"-3"-4"-5"-6"	50m-100m
62408	2.8x2.2	2"-3"-4"-5"-6"	50m-100m
62409	3.0x2.0	2"-3"-4"-5"-6"	50m-100m



# BARBED WIRE



### HDG Double Twist Barbed Wire

Code	Line/Barb Wire	Barbs Spacing	Length Mt.
62421	1.4x1.4	4"-5"	50m-100m
62422	1.5x1.5	4"-5"	50m-100m
62423	1.6x1.6	4"-5"	50m-100m
62424	1.7x1.7	4"-5"	50m-100m
62425	1.8x1.8	4"-5"	50m-100m
62426	1.9x1.9	4"-5"	50m-100m
62427	2.0x2.0	4"-5"	50m-100m



### HDG Right Twist Barbed Wire

Code	Line/Barb Wire	Barbs Spacing	Length Mt.
62411	1.7x1.7	3"-4"-5"-6"	50m-100m
62412	1.8x1.8	3"-4"-5"-6"	50m-100m
62413	1.9x1.9	3"-4"-5"-6"	50m-100m
62414	2.1x2.1	3"-4"-5"-6"	50m-100m
62415	2.5x2.1	3"-4"-5"-6"	50m-100m
62416	2.5x2.5	3"-4"-5"-6"	50m-100m
62417	2.7x2.1	3"-4"-5"-6"	50m-100m
62418	2.7x2.7	3"-4"-5"-6"	50m-100m



### PVC Double Twist Barbed Wire

Code	Line/Barb Wire	Barbs Spacing	Length Mt.
62431	1.6/2.1 x1.6/2.1	3"-4"- 5"-6"	50m-100m











### PVC Right Twist Barbed Wire





Code	Line/Barb Wire	Barbs Spacing	Length Mt.
62432	1.6/2.1 x1.6/2.1	3"-4"- 5"-6"	50m-100m

# RAZOR BARBED WIRE

## Razor Wire Blade Type



Blade Type	Blade Style	Thickness	Wire Dia	Barb Length	Barb Width	Barb Spacing
BTO-10		0.5±0.05	2.5±0.1	10±1	13±1	26±1
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-18		0.5±0.05	2.5±0.1	18±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-28		0.5±0.05	2.5±0.1	28±1	15±1	45±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	45±1
CBT-60		0.5±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65		0.5±0.05	2.5±0.1	65±2	21±1	100±2

## Concertina Razor Wire

Code	PIC.	Coil Type	Outside Diameter	No. of Loops	Stretch Length per Coil	Clips Q'ty	Blade Type	Packing Roll
62501		Single coil, w/o clips	450mm	33	7-8M	—	CBT-60,65	
62502			500mm	56	12-13M	—		
62503			700mm	56	13-14M	—		
62504			960mm	56	14-15M	—		
62510		Cross coil, w/ clips	450mm	56	8-9M	3	BTO-10,12,18,22,28,30	
62511			500mm	56	9-10M	3		
62512			600mm	56	10-11M	3		
62513			600mm	56	8-10M	5		
62514			700mm	56	10-12M	5		
62515			800mm	56	11-13M	5		
62516			900mm	56	12-14M	5		
62517			960mm	56	13-15M	5		
62518			980mm	56	14-16M	5		





## Double Concertina Razor Wire

Code	PIC.	Coil Type	Outside Diameter	Blade Type	Packing Roll
62521		Double cross coil, w/ clips	450-600	BTO-10, 12, 18, 22, 28, 30	
62522			500-700		
62523			600-800		
62524			700-900		



## Flat Wrap Razor Wire

Code	PIC.	Coil Type	Outside Diameter	No. of Loops	Stretch Length per Coil	Clips Q'ty	Blade Type	Packing Roll
62531		Cross coil, w/ clips	450mm	126	16M	5	BTO-10,12, 18,22,28,30	
62532			600mm	95	16M	5		
62533			900mm	63	16M	5		

# WIRE TENSIONER



## Wire Strainer

- Ensure the tension of the wires when erecting fences
- H.D.G and E.G. for durability and plastic powder coated for superior durability



## Wire Tensioner

- Ensure the tension of the wires.
- H.D.G., E.G., and Plastic Powder Coated available.
- Size: No#2, No#3, No#4



# POLE ANCHORS & CAPS

## Pole Anchor, Adjustable Pole Anchor, Screw Pole Anchor Anchor Cap, Anchor Plate

- H.D.G., E.G., Powder Coated,
- Besides following types, we are able to produce according to customers' size and drawing.



# ACCESSORIES



## Steel Stake, Painted

- Round Stake
- Dia. 7/8", 3/4"
- Height: 12", 18", 24", 30", 36", 42", 48"
- Square Stake
- Width: 5/8"
- Height: 12", 18", 24", 30", 36", 42", 48"


## Fittings



## Flower Pot Frame



## Flower Basket



## Water Pipe Frame



## Wire Hook



## Wood Screw L Type



## Foundation Bolt





# WINDOW SCREEN WEAVING EXPERT



Our factory has seven manufacturing branches, specialize in stainless steel security screen, fiberglass screen, aluminum screen, galvanized screen, plastic screen, polyester screen, etc. The production capacity is 60,000 sqm per day.

Our stainless steel security screen takes advantages of Germany made heavy CNC netting machine and the U.S. imported spray gun with Akzo Powder, enables a bright and flawless surface of the net. Highly anti-impact and corrosion resistance, suitable for any screen project that demand high quality requirements.

“To create a green society” is our commitment. We select raw material and design production process with the respect of our environment in mind. Our fiberglass screen and aluminium screen are made of the finest material in the industry. We are one of the few manufacturers whose products comply with EU regulations and Reach Standard for harmful SVHC.





- Anti-knife
- Anti-cats and dogs tearing
- Anti-rat bite

- Superior flexibility



- Neat cut

- Retardant

## Fibreglass Screen

Code	Size	Gr/m <sup>2</sup>
63901	18x14-0,28-H60-30M	120
63902	18x14-0,28-H80-30M	120
63903	18x14-0,28-H100-30M	120
63904	18x14-0,28-H120-30M	120
63905	18x14-0,28-H150-30M	120
63906	18x14-0,28-H180-30M	120
63907	18x14-0,28-H60-50M	120
63908	18x14-0,28-H80-50M	120
63909	18x14-0,28-H100-50M	120
63910	18x14-0,28-H120-50M	120
63911	18x14-0,28-H150-50M	120
63912	18x14-0,28-H180-50M	120
63913	18x16-0,28-H60-30M	125
63914	18x16-0,28-H80-30M	125
63915	18x16-0,28-H100-30M	125
63916	18x16-0,28-H120-30M	125
63917	18x16-0,28-H150-30M	125
63918	18x16-0,28-H180-30M	125
63919	18x16-0,28-H60-50M	125
63920	18x16-0,28-H80-50M	125
63921	18x16-0,28-H100-50M	125
63922	18x16-0,28-H120-50M	125
63923	18x16-0,28-H150-50M	125
63924	18x16-0,28-H180-50M	125

- **Description:** It is made of 35% fibreglass yarn with 65% pvc coating, through yarn drawing, pvc coating, plain weaving, heating and shaping.

- **Fire retardant:** Extinguishes within 5 second after removal of flame.
- Environmental friendly, no odor, no non-toxic, no harm to health
- Extraordinary light transmission, also called invisible window screen
- **Single wire tensile:** Around 31N

### More Available:

- **Mesh size:** 14x14 mesh, 16x16 mesh, 18x16 mesh, 19x17 mesh, 20x20 mesh
- **Width/roll:** 0.3-3.2m;
- **Length:** 13-300m or customize
- **Colors:** white, black, gray, white & gray (gray warp & white weft), blue, green, yellow and brown.
- **Weight:** 90-135g/m<sup>2</sup>

## Aluminium Screen

Code	Size	Gr/m <sup>2</sup>
64001	18X14-0,24-H40-30M	150
64002	18X14-0,24-H50-30M	150
64003	18X14-0,24-H60-30M	150
64004	18X14-0,24-H70-30M	150
64005	18X14-0,24-H80-30M	150
64006	18X14-0,24-H100-30M	150
64007	18X14-0,24-H120-30M	150
64008	18X14-0,24-H150-30M	150
64009	18X16-0,24-H40-30M	165
64010	18X16-0,24-H50-30M	165
64011	18X16-0,24-H60-30M	165
64012	18X16-0,24-H70-30M	165
64013	18X16-0,24-H80-30M	165
64014	18X16-0,24-H100-30M	165
64015	18X16-0,24-H120-30M	165
64016	18X16-0,24-H150-30M	165
64017	18X16-0,28-H40-30M	220
64018	18X16-0,28-H50-30M	220
64019	18X16-0,28-H60-30M	220
64020	18X16-0,28-H70-30M	220
64021	18X16-0,28-H80-30M	220
64022	18X16-0,28-H100-30M	220
64023	18X16-0,28-H120-30M	220
64024	18X16-0,28-H150-30M	220

- **Description:** It is made of high magnesium (3.05%) aluminum(96.5%) alloy wire

- **Yarn:** 0.24/0.26/0.28mm after painting
- **Coating:** original color, or pvd painting (anti-uv)
- **Fireproof**
- No hazardous substances, no odor
- **Selvedge,** w/ or w/o, or customize



- Neat cut




- No deformation against tearing
- Tensile Strength  $\geq 220$ Mpa





- Withstand times of pleating





## Stainless Steel Screen

Code	Size	Gr/m <sup>2</sup>
64101	18x16-0,12-H100-30M	129
64102	18x16-0,12-H120-30M	129
64103	18x16-0,12-H150-30M	129
64104	18x16-0,15-H100-30M	202
64105	18x16-0,15-H120-30M	202
64106	18x16-0,15-H150-30M	202
64107	18x16-0,16-H100-30M	231
64108	18x16-0,16-H120-30M	231
64109	18x16-0,16-H150-30M	231
64110	18x16-0,17-H100-30M	261
64111	18x16-0,17-H120-30M	261
64112	18x16-0,17-H150-30M	261
64113	18x16-0,18-H100-30M	291
64114	18x16-0,18-H120-30M	291
64115	18x16-0,18-H150-30M	291
64116	18x16-0,19-H100-30M	324
64117	18x16-0,19-H120-30M	324
64118	18x16-0,19-H150-30M	324




## Stainless Steel Security Screen

- High security, bulletproof, anti-mosquito, fireproof, good hardness, high strength, anti-corrosion
- **Material:** S202, S304, S304L, S316, S316L, S310, S310S, HDG wire, Manganese steel,
- **Wire Diameter:** 0.35mm~1.5mm
- **Mesh:** 10x10, 11x11, 12x12, 13x13, 14x14, 15x15, 16x16
- **Width:** 0.2m~1.8m
- **Length:** 0.5m~35m




Window-1




Window-2



Door-1



Door-2



## Hanging Door Screen

- Fibreglass Screen
- Aluminium or Plastic Hanging Profile
- With bottom weight

Code	Panels	Width-cm	Height-cm
64201	3	80	240
64202	4	100	240
64203	5	120	240




## Magnetic Door Screen

- Top and sides with adhesive tape
- With bottom magnetic weight
- Colors: Black, White, Gray, Blue

Code	Width-cm	Height-cm
64211	120	240
64212	100	220

## Polyester Screen



- with adhesive tape 5,6mx0,8cm

Code	WidthxHeight	Color
64231	130x150cm	white
64232	130x150cm	black

- with adhesive tape 6,6mx0,8cm

Code	WidthxHeight	Color
64233	150x180cm	white
64234	150x180cm	black



## Polyester Screen

- with adhesive tape 6,5mx0,8cm
- with 2pcs of 1x10x100mm steel weight

Code	WidthxHeight	Color
64235	0,75x2,5m x 2pcs	white
64236	0,75x2,5m x 2pcs	black



## Adjustable Aluminium Frame, with fibreglass screen infill

Code	Fold Size cm	Unfold Size cm	Fibreglass
64221	50x75	50x142	18x16
64222	75x100	75x192	18x16



## Adhesive Tape

Code	Size	Color
64241	6,5mx1cm	white
64242	6,5mx1cm	black
64243	6,5mx0,8cm	white
64244	6,5mx0,8cm	black



# LEAVES FENCING

Artificial leaves screen is an ideal complement as fencing for commercial and residential establishment. It is perfect to cover unsightly views from visitors while enjoys a good look. The leaves are made of a blend of high quality polyethylene & polyester that is environmental friendly, UV resistant to anti-fade under the sun. It is easy to attach to any wood frame or chain link fence, relax and enjoy!



**Leaves Ball, dark green**

Dia.: 28cm, 38cm, 55cm



**Leaves Ball, dark green + light green**

Dia.: 28cm, 38cm, 55cm



**Leaves Ball, Lavanda**

Dia.: 28cm, 38cm, 55cm



**Leaves Fencing**

W x L: 1x3m, 1.5x3m



**Leaves Fencing**

W x L: 1x3m, 1.5x3m



**Leaves Fencing**

W x L: 1x3m, 1.5x3m





**Laurel Leaves Fencing  
w/ leaf stalk, w/ 80g shading net**

Code	WxL
62822	1x3m
62823	1.5x3m
62824	1x20m



**Laurel Leaves Fencing,  
w/ star staples**

Code	WxL
62819	1x3m
62820	1.5x3m
62821	1x20m




**Maple Leaves Willow Fence**

W x L: 1x2m  
Leaves Pairs: 384, 454, 514



**Sweet Patatoes Leaves Fencing  
w/ leaf stalk**

Code	WxL
62828	1x3m
62829	1.5x3m
62830	1x20m



**Sweet Patatoes Leaves Fencing  
w/ snap button**

Code	WxL
62825	1x3m
62826	1.5x3m
62827	1x20m



**BI-color Fringe Leaf Fencing Net  
Fringe Meas.: 0,3x9,5cm  
Support PVC coated wire 1,1mm**

Code	WxL
62831	1x3m
62832	1.5x3m
62833	2x3m



**Spruce Leaf Fencing Net  
Leaf Meas.: 0,15x8,1cm  
Support galv. wire 0,7mm**

Code	WxL
62834	1x3m
62835	1.5x3m
62836	2x3m






# TRELLIS

## PVC Trellis

Color	Size-m:
White	2x1, 3x1, 4x1
Green	2x1, 3x1, 4x1



## Bamboo Sticks

Code	Length-cm	Dia.-mm
62911	150	20/22
62912	180	22/24
62913	210	22/24
62914	210	25/28
62915	240	25/28

## Bamboo Sticks, PVC Coated

Code	Length-cm	Dia.-mm
62921	150	15/18
62922	180	15/18
62923	200	15/18
62924	250	20/24
62925	300	20/24



## Plant Support Tube, PVC Coated

Code	Length-cm	Dia.-mm
62931	60	8,9,11,13,16,20
62932	90	8,9,11,13,16,20
62933	100	8,9,11,13,16,20
62934	120	8,9,11,13,16,20
62935	150	8,9,11,13,16,20
62936	200	8,9,11,13,16,20
62937	250	13,16,20
62938	300	16,20



B01



B02



B03



B04



B05



B06

## Plant Growing Spiral

PVC Green	Dia x Length
62793	6.5 x 1500mm
62794	6.5 x 1750mm
62795	6.5 x 2000mm
HDG.	Dia x Length
62796	6.5 x 1500mm
62797	6.5 x 1750mm
62798	6.5 x 2000mm



The plant growing spiral can enable your favourite climbers running through them and make an amazing feature in your garden.

# ARTIFICIAL TURF

Artificial turf serves as a favorite alternative to natural lawns, it is eco-friendly because it doesn't need water, fertilizer or mowing. We produce first class quality artificial grass yarns and carpets ranged from 6-70mm pile height, 2-4m width, turf gauge 3/4" to 5/32". A wide range of Multi-use turf and multi-colors are available for your choice.



## Artificial Turf, Premium

- Pile 30mm, PE+PP stabilized UV
- 8 PE straight (dark/olive green) + 8 PP curled (green/yellow)
- 12600 Stitches

Code	Size
63011	1x5m
63012	2x10m



## Artificial Turf, Light

- Pile: 6mm, PP stabilized UV
- Colour: Dark green, 80600 stitches

Code	Size
63013	1x10m
63014	1x25m
63015	2x25m







# WEED MAT



■ Weed control mat is the ideal solution for controlling weed. It allows water penetration while effectively suppresses the weed growth, suitable for gardens and landscaping projects.



## PP Weed Mat, 100g/m<sup>2</sup>, 12x12

■ Black with Strip Green Lines

Code	Size
63111	1.05x100m
63112	1.40x100m
63113	1.65x100m
63114	2.05x100m

\*\*Square lines also available.

■ Green with Strip Light Green Lines

Code	Size
63121	1.05x100m
63122	1.40x100m
63123	1.65x100m

\*\*Square lines also available.



## PP Weed Mat, Black, 70g/m<sup>2</sup>, 12x12

Code	Size
63101	0.91x10m
63102	0.91x50m
63103	0.91x100m
63104	1.05x100m
63105	1.55x100m
63106	2.05x100m



## Lawn Nails

■ Made of hard wire, self color

Code	Pack
63001	20pcs/bag
63002	300pcs/ctn



## PP Garden Bag for leaves 150g/sqm

Code	Size
63131	Dia.67 x H76cm





## PE laminated sheet

- Low temperature resistant (-40 °C)
- UV stabilized
- Waterproof, washable, antitear
- Polycarbonate eyelets
- Reinforced corners
- Reinforced perimetrical wire

Code	Size	Gr/m <sup>2</sup>
63301	2x2m	110
63302	2x3m	110
63303	3x3m	110
63304	3x4m	110
63305	3x5m	110
63306	4x4m	110
63307	4x5m	110
63308	4x6m	110
63309	5x6m	110
63310	6x8m	110
63311	6x10m	130
63312	8x10m	130
63313	8x12m	130
63314	10x12m	130



Per veicoli/Cars



Per autocarri e furgoni  
Cars and trucks



Per barche/Boats



Per tende e campeggio  
Tents and camping



Per agricoltura  
e stivaggi in genere  
Agricultural purpose



Per edilizia/Building



## PE laminated sheet

- Agricultural purpose-olive & fruits picking
- Low temperature resistant (-40 °C)
- UV stabilized
- Waterproof, washable, antitear
- Polycarbonate eyelets
- Reinforced corners
- Reinforced perimetrical wire

Code	Size	Gr/m <sup>2</sup>
63321	2x2m	200
63322	2x3m	200
63323	3x4m	200
63324	4x4m	200
63325	4x5m	200
63326	4x6m	200
63327	5x6m	200
63328	6x8m	200
63329	6x10m	200
63330	8x12m	200
63331	10x12m	200



Agricultural purpose - oliven and fruits picking















## Getpolyen Fenced Tarps

- For outside covers, balcony awning, depots etc.
- White transparent colour
- Laminated sheet 140gr/m<sup>2</sup> (+/-3%)
- UV stabilized
- All four edges reinforced by rope
- plastic eyelets at every 25cm
- Wind and snow proof, water proof
- Easy to install

Code	Size	Gr/m <sup>2</sup>
63401	3x1,5m	140
63402	3x1,9m	140
63403	3x2,5m	140
63404	3x3,0m	140
63405	3x4,0m	140
63406	3x5,0m	140
63407	3,5x1,5m	140
63408	3,5x1,9m	140
63409	3,5x2,5m	140
63410	3,5x3,0m	140
63411	3,5x4,0m	140
63412	3,5x5,0m	140



**PE COVER, 100gr/sqm, for outside furniture**



# SHADE SAIL



- 100% Virgin HDPE 180g/m<sup>2</sup>, front warp line by round fiber 6 lines per inch, weft by flat fiber
- UV (BASF) 3%
- Shading Rate 70%
- Each corner one S304 D-ring Dia. 5mm couple with one rope 6mmx1.5m
- Each border with webbing width 2.5cm stitched inside by two sewing threads
- Packed in plastic bag with eye/zipper/handle, color label inserted

Code	Spec.	Color	Type
63521	2.9 x 2.9 x 2.9m	brown	Triangle
63522	3.6 x 3.6 x 3.6m	brown	Triangle
63523	5 x 5 x 5m	brown	Triangle
63524	2.9 x 2.9m	brown	Square
63525	3.6 x 3.6m	brown	Square
63526	5 x 5m	brown	Square

\*\*Dark green and other colors also available.


# SCAFFOLDING NET

- Material is new HDPE and UV
- Any color is available
- Any size is available for width below 6 meter
- Weight 55gsm-200gsm
- Useful life 3-10 years

Code	Size
63507	1.8 x 10m
63508	1.8 x 15m
63509	1.8 x 25m
63517	1 x 50m
63518	1.8 x 100m
63519	2 x 100m



Different Patterns and colors:






# SHADE NET

Shade net is used to provide shade against sunlight and privacy for your garden. It can also be used to protect flowers, trees against frost, wind and hail damage. Other applications could be found as temporary fencing, packaging, greenhouse covering, etc.



- Material is new HDPE and UV
- Any color is available
- Any size is available for width below 8 meter
- Shade rate 30%-95%
- Weight 45gsm-350gsm
- Useful life: 3-10 years

## Different Patterns and Colors:



**Shade Net, High screening woven net, in dark green colour for shading and screening of parking places, camping, balconies**

Code	Size
63501	1x100m
63502	1,5x100m
63503	2x100m
63504	3x100m
63505	4x100m
63506	6x100m



**Shade Net, 100% Shading, HDPE with Eyelets, Anti-UV, 260gr/sqm**

Code	Size
63511	1x5m
63512	1,5x5
63513	1x30
63514	1,5x30
63515	2x30



# OLIVE NET




- 100% HDPE monofilament yarn, Green Color
- Reinforced Corners, with grommets, UV stabilised, edge list



Sheet without central opening

Code	Spec.
63201	3x6m
63202	4x8m
63203	5x10m
63204	5x12m
63205	6x8m
63206	6x12m
63207	8x10m
63208	8x12m




Sheet with central opening

Code	Spec.
63211	6x6m
63212	6x8m
63213	8x8m
63214	10x10m
63215	12x12m



Rolls

Code	Spec.
63221	5x50m
63222	6x50m
63223	7x50m
63224	8x50m
63225	10x50m
63226	4x100m
63227	6x100m
63228	7x100m
63229	8x100m



# ANTI-HAIL NET

Anti hail net is special knitted mesh guarantees that the fabric will not run even after violent hailstorms. The protection offered by anti-hail nets means safe guarding both the current year's harvest and protected from damage. It also offers protection against frost, which crystallizes on the netting instead of on the plants.


- Knitted net, double screen, ladder-proof
- 4,5cm edge list
- Protecting plants from hail damage
- Green colour

Material is new HDPE and UV  
 Color: white, blue, green, red, etc.  
 Weight: 50-200g/m<sup>2</sup>  
 Width: 1m-8m  
 Useful life: 3-10 years

Code	Size
63611	2x5m
63612	2x10m
63613	4x10m
63614	1,5x100m
63615	2x100m
63616	3x100m
63617	4x100m
63618	6x100m

# PLANT SUPPORT NET

Plant Support Net is a solid versatile plastic mesh, designed to support all climbing plants, vegetables and long-stemmed ornamental flowers helping to encourage healthy growth. When used vertically, it can uphold even the heaviest of crops such as cucumbers, peas and beans. When used horizontally, it will provide support for flowers such as chrysanthemums, carnations and long stemmed roses. As the flowers or plants grow, additional layers of netting can be added to add support.



- Extruded polypropylene net
- Flexible, strong, UV stabilised
- Rectangular mesh 17x15cm
- Green colour





Code	Size
63601	1,5x10m
63602	2x10m
63603	2x50m
63604	1,5x100m
63605	2x100m

# ANTI-BIRD NET




Anti-bird netting is an effective method of preventing crop losses, such as cherries, strawberries or seedlings from birds and other predators. It can also be used for holding animals in an enclosure and preventing any damage they may cause. The laying of the anti-bird netting can be done manually or mechanically depending on the references used.



## Anti-bird Net, Square Mesh

- Extruded polypropylene net
- Flexible, strong, UV stabilised
- Green colour
- Mesh 15x15mm

Code	Size
63621	2x5m
63622	4x5m
63623	2x10m
63624	4x12m



## Anti-bird Net, Diamond Mesh


- Extruded polyethylene net
- Flexible, strong, UV stabilised
- Green colour
- Mesh 15x15mm

Code	Size
63631	2x5m
63632	4x5m
63633	2x10m
63634	4x12m



# BALCONY NET

- Extruded net, for balconies and fences
- With reinforced edges
- Green colour
- Undeformable and UV stabilised



## Square mesh 9x9mm

Code	Size
63641	1x50m

## Hexagonal mesh 20x19mm

Code	Size
63642	1x50m

# NON-WOVEN FABRIC



## PP NON-WOVEN FABRIC CUPS, 17gr/m<sup>2</sup>

- Provides protection for plants and shrubbery
- Permeable to water, light and air
- Protect plants and shrubbery from cold, wind and weather changes

Code	Size	Pack
63711	Ø0,6x0,8m	6pcs/pack
63712	Ø1x1,6m	3pcs/pack
63713	Ø1,6x2m	1pc/pack

## PP NON-WOVEN FABRIC, 17gr/m<sup>2</sup>

- Light weight spun bonded polypropylene fleece
- Permeable to water, light and air
- Protects plants and vegetables from cold, wind, insect and birds


Code	Size
63701	1,5x10m
63702	1,5x5m
63703	1,6x10m
63704	2x10m
63705	2,4x10m
63706	1,6x250m



# GREEN HOUSE



A flower can not blossom without sunshine and right temperature. Our green house series can help your favorite plant have a long flowering period in winter.




## Greenhouse

- Easy assembly in minutes, without any tools.
- Roll-up zipped panels for easy access.
- Clear PVC covers, anti-freezing, UV stabilized.

Code	L x P x H	Shelves
63801	69x49x125cm	3
63802	69x49x157cm	4
63803	69x49x187cm	5

## Greenhouse

Code	L x P x H	Shelves
63811	140x72x195cm	4



## Tunnel greenhouse kit

- Vegetables and coltures protection
- 6 plastic tubes with 3 connectors
- Neutral canvas (2x5m) UVA resistant
- 9 clips + 2pegs

Code	Size
63821	3x1,2m



## Clips

Code	Size	Pack
63831	35mm	24pcs
63832	35mm	100pcs
63833	50mm	100pcs



## Pegs

Code	Pack
63834	24pcs
63835	500pcs



## Metal hooks

Code	Pack
63836	50pcs



# BAMBOO FENCE, BARK FENCE & BRUSHWOOD FENCE

## Bamboo Cane Fence



More durable

It is made from natural bamboo cane, which is a natural material that is very durable and long-lasting. It is also a natural material that is very eco-friendly and sustainable.

Code	LxW cm
BCF1520	150x200
BCF1030	100x300
BCF1530	150x300
BCF1830	180x300
BCF2030	200x300
BCF1050	100x500
BCF1550	150x500
BCF2050	200x500



## Single-Sided Bark Fence

Code	LxW cm
SBF1030	100x300
SBF1530	150x300
SBF1830	180x300
SBF1050	100x500
SBF1550	150x500

## Split Bamboo Fence



Code	LxW cm
BF1030	100x300
BF1520	150x200
BF1530	150x300
BF1830	180x300
BF2030	200x300
BF1050	100x500
BF1550	150x500
BF1850	180x500
BF2050	200x500



## Double-Sided Bark Fence

Code	LxW cm
DBF1030	100x300
DBF1530	150x300
DBF17530	175x300
DBF2030	200x300
DBF1050	100x500
DBF1550	150x500
DBF2050	200x500

## Carbonized Black Bamboo Cane Fence



Code	LxW cm
CBF1030	100x300
CBF1050	100x500
CBF1530	150x300
CBF1830	180x300
CBF2030	200x300
CBF2050	200x500
CBF2530	250x300
CBF2550	250x500



## Brushwood Fence

Code	LxW cm
BWF1030	100x300
BWF1530	150x300
BWF1830	180x300
BWF2030	200x300
BWF1050	100x500
BWF1550	150x500
BWF17550	175x500
BWF2050	200x500

# GARDEN TOOLS

## GDT1001

- A: 28×8cm
- B: 29.4×6cm
- C: 27×7.7cm
- D: 27.5×8cm



## GDT10081

- A: 32×8.7cm
- B: 33×6cm
- C: 26.5×6.5cm
- D: 29×8cm
- E: 37×4.5cm



## GDT10021

- A: 32×8cm
- B: 29×18.5×6.5cm
- C: 31.5×6.5cm
- D: 35.5×6×4cm
- E: 28×8.3×7cm
- F: 34×13cm
- G: 29×8cm
- H: 28×10×8cm
- I: 29.7×7cm
- J: 29×17×5.5cm



## GDT10092

- A: 30×8.3cm
- B: 24.5×14.5×6.5cm
- C: 30×7cm
- D: 25×9cm
- E: 25×8.5×7cm
- F: 36×15cm
- G: 27×8.5cm
- H: 32×9×4.5cm
- I: 30.5×4.5cm



## GDT1019

- A: 33.5×8cm
- B: 30×18.5×6.5cm
- C: 33×6.5cm
- D: 36×6cm
- E: 30×8.7×7cm
- F: 34×13.5cm
- G: 30×8cm
- H: 30×10×8cm
- I: 36.5×5cm
- J: 36×3.5cm
- K: 30×7cm
- L: 30×17×5.5cm



## GDT1021

- A: 34×9cm
- B: 29×18.5×6.5cm
- C: 31.5×5.5cm
- D: 36×6cm
- E: 28.5×8.7×7cm
- F: 38×15cm
- G: 28.5×8cm
- H: 28×10×8cm
- I: 34×5cm
- J: 34×3.5cm
- K: 33×5.2cm
- L: 29.5×7cm



## GDT1023

- A: 38×8cm
- B: 28×14cm
- C: 36×6cm
- D: 29×8.7cm
- E: 31×8.5×7cm
- F: 40×8cm
- G: 35×8.7cm
- H: 31×10×8cm
- I: 31.5×φ0.65cm
- J: 28.5×9.2×12cm





**GTS01 - 9 Pcs Garden Tool Set**  
Wood + Stainless Steel



**GTS04 - 28 Pcs Garden Tool Set**  
Plastic + Stainless Steel



**GTS02 - 11 Pcs Garden Tool Set**  
Wood + Stainless Steel



**GTS03 - 11 Pcs Garden Tool Set**  
Plastic + Stainless Steel



# GRASS SHEAR TREE PRUNER WITH SAW & GARDEN SAW



Code	GS01
Blade Swivel	360°
Length	320mm / 12-1/2"
Handle Material	ABS



Code	GS02
Blade Swivel	180°
Length	315mm / 12-1/2"
Handle Material	Steel



Code	GS03
Blade Swivel	90°
Length	335mm / 13"
Handle Material	Steel+PVC



Code	TPS01
Cut Up To	45°/ 30mm/ 1-1/4"



Code	TPS02
Cut Up To	90°/ 20mm/ 3/4"



Code	TPS03
Cut Up To	45°/ 30mm/ 1-1/4"



Code	GSW01
Size	270mm/300mm



Code	GSW02
Size	180mm



Code	GSW03
Size	350mm

# HEDGE SHEARS

Code	HS01
Blade Length	255mm
Total Length	555mm
Max.Cut	φ8mm



Code	HS02
Blade Length	260mm
Total Length	655-855mm
Max.Cut	φ8mm



Code	HS03
Blade Length	260mm
Total Length	655-855mm
Max.Cut	φ8mm



Code	HS04
Blade Length	260mm
Total Length	675-870mm
Max.Cut	φ8mm



Code	HS05
Blade Length	260mm
Total Length	650-850mm
Max.Cut	φ8mm



Code	HS06
Blade Length	235mm
Total Length	680-870mm
Max.Cut	φ8mm



Code	HS07
Blade Length	240mm
Total Length	505mm
Max.Cut	φ8mm



Code	HS08
Blade Length	255mm
Total Length	550mm
Max.Cut	φ8mm



Code	HS09
Blade Length	260mm
Total Length	630mm
Max.Cut	φ8mm



# LOPPERS



Code	LP01
Cut Up To	90°
Length	680-1010mm
Max.Cut	φ45mm



Code	LP02
Cut Up To	45°
Length	820mm
Max.Cut	φ38mm




Code	LP03
Cut Up To	90°
Length	700-1010mm
Max.Cut	φ45mm



Code	LP04
Cut Up To	90°
Length	690-1020mm
Max.Cut	φ50mm



Code	LP05
Cut Up To	45°
Length	660-920mm
Max.Cut	φ45mm



Code	LP06
Cut Up To	45°
Length	830mm
Max.Cut	φ50mm



Code	LP07
Cut Up To	45°
Length	660-980mm
Max.Cut	φ45mm



Code	LP08
Cut Up To	45°
Length	720mm
Max.Cut	φ30mm



Code	LP09
Cut Up To	45°
Length	740mm
Max.Cut	φ45mm

# PRUNING SHEARS



Code	PS01
Cut Up To	45°
Length	160mm / 6-1/4"
Max.Cut	φ10mm
Handle Material	Aluminum+PVC



Code	PS02
Cut Up To	90°
Length	200mm / 8"
Max.Cut	φ15mm
Handle Material	Aluminum+PVC



Code	PS03
Cut Up To	90°
Length	210mm / 8-1/4"
Max.Cut	φ15mm
Handle Material	Aluminum+TPR



Ratchet

Code	PS04
Cut Up To	45°
Length	220mm / 8-3/4"
Max.Cut	φ8mm
Handle Material	Aluminum+TPR



Code	PS05
Cut Up To	45°
Length	190mm / 7-1/2"
Max.Cut	φ15mm
Handle Material	Steel PP+TPR



Code	PS06
Cut Up To	90°
Length	180mm / 7"
Max.Cut	φ15mm
Handle Material	Steel+ABS



Code	PS07
Cut Up To	45°
Length	220mm / 8-3/4"
Max.Cut	φ15mm
Handle Material	Steel PP+TPR



Code	PS08
Cut Up To	90°
Length	200mm / 8"
Max.Cut	φ15mm
Handle Material	PA6



Ratchet

Code	PS09
Cut Up To	45°
Length	180mm / 7"
Max.Cut	φ15mm
Handle Material	PA+TPR



# PP LEAF RAKE



Code	Blade (Width x Depth)
PRK01	23 Teeth 48x42cm



Code	Blade (Width x Depth)
PRK02	24 Teeth 44.5x52cm



Code	Blade (Width x Depth)
PRK03	14 Teeth 36x42cm



Code	Blade (Width x Depth)
PRK04	26 Teeth 60x54cm



Code	Blade (Width x Depth)
PRK05	10 Teeth 24x54cm



Code	Blade (Width x Depth)
PRK06	26 Teeth 62x52cm



Code	Blade (Width x Depth)
PRK07	21 Teeth 38x20cm



Code	Blade (Width x Depth)
PRK08	20 Teeth 44x40cm




Code	Blade (Width x Depth)
PRK09	22 Teeth 42x42cm



Code	Blade (Width x Depth)
PRK10	22 Teeth 48x43cm



Code	Blade (Width x Depth)
PRK11	23 Teeth 54x30cm



Code	Blade (Width x Depth)
PRK12	22 Teeth 54x40.5cm

※ Handle Size:  $\Phi$ 2.4xL120cm; Wood/Steel Handle Options.



Code	Blade Size
PRK13	7x39cm



Code	Blade Size
PRK14	37x31cm



Code	Blade Size
PRK15	34x50cm



Code	Blade Size
PRK16	41.5x56cm



# RAKE

Rakes are essential tools for garden and yard maintenance. They are ideal for clearing leaves, grass, and small debris, and are commonly used on lawns, including golf courses. Rakes are also suitable for agricultural use—such as spreading crops—as well as cleaning animal shelters and handling forest-area cleanup.

## Adjustable Rake

Code: R15-2060

Head (WxL): 20/60 cm x 80/163 cm

Material: 45# Steel

Weight: 820 g

Handle: Steel tube  $\phi$ 19 x 610/  $\phi$ 16 x 660 mm

Hand grip: PVC



## Leaf Rake

Code: R22-4040


Head (LxW): 40 x 40.5 cm

Material: 45# Steel

Weight: 400 g

Handle: Raw wood  $\phi$ 24 x 1200 mm

Hand grip: PVC



## Garbing Rake

Code: R22-3835

Head (LxW): 38 x 35/46 cm

Material: 45# Steel

Weight: 490 g

Handle: Raw wood  $\phi$ 24 x 1200 mm



## Leaf Rake


Code: R22-4045

Head (LxW): 40 x 45 cm

Material: 45# Steel

Weight: 420 g

Handle: Raw wood  $\phi$ 24 x 1200 mm



## Steel Rake

Code: R25-2751

Head (LxW): 27 x 51 cm

Material: 45# Steel

Weight: 440 g

Handle: Raw wood  $\phi$ 24 x 1200 mm  
Aluminum Tube  $\phi$ 22 x 1370 mm



## Leaf Rake

Code: R22-4146

Head (LxW): 41.5 x 46 cm

Material: 65# Steel

Weight: 570 g

Handle: Raw wood  $\phi$ 24 x 1200 mm





**RK - 101**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 102**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 103**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 105**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 106**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 107**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 108**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 109**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 110**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 111**  
11 Teeth garden rake  
galvanized



**RK - 112**  
21/11 Teeth garden rake  
galvanized finishing



**RK - 116**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 118**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 121**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 122**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 125**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 126**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel



**RK - 127**  
Size: 8T, 10T, 12T, 14T, 16T, 18T  
Material: Carbon steel

# PP SNOW SHOVEL



Code	PSS01
Blade Size (Width x Depth)	61×28.5cm
Handle Material	Wood/Steel/Aluminum/Bend Steel
Handle Size	φ3.2cm×102cm, full length 145cm



Code	PSS02
Blade Size (Width x Depth)	23×28cm
Handle Material	Plastic
Handle Size	full length 50-98cm



Code	PSS03
Blade Size (Width x Depth)	27.5×31cm
Handle Size	φ2.6×26.5cm & φ2.4×34.5cm, full length 72-92cm



Code	PSS04
Blade Size (Width x Depth)	24×32cm
Handle Size	φ2.2×30cm & φ2.5×20cm, full length 73-83cm



Code	PSS05
Blade Size (Width x Depth)	27×32cm
Handle Material	Wood/Steel/Aluminum
Handle Size	φ2.8×30cm & φ3.2×20cm, full Length 70-86cm



Code	PSS06
Blade Size (Width x Depth)	41×32cm
Handle Material	Wood/Steel/Aluminum
Handle Size	φ2.8×105cm, full length 139cm



Code	PSS07
Blade Size (Width x Depth)	56.5×29cm
Handle Material	Wood/Steel/Aluminum
Handle Size	φ2.8×105cm, full length 136cm



Code	PSS08
Blade Size (Width x Depth)	45×33cm
Handle Material	Wood/Steel/Aluminum
Handle Size	φ2.8×105cm, full length 135cm



Code	PSS08T
Blade Size (Width x Depth)	45×33cm
Handle Material	Telescopic Steel/Aluminum
Handle Size	φ2.8×52cm&3.2×38cm, full length 94-129cm





## **RYE GROUP LIMITED**

---

Address: B1006, Lu Bang Plaza, 177, Shandong Road, Qingdao, China P.C.: 266033  
Tel: + 86 (0)532-85660655/56/57/58 (Chinese) / + 86 (0)532-85660653 (English)  
Fax: + 86 (0)532-85660659 E-mail: [rye@rye.cn](mailto:rye@rye.cn) Website: [www.rye.cn](http://www.rye.cn)